## PERCHLOROETHYLENE (LIQUID PHASE) – DENSITY

PCH-2960-0001

Temperature, °C	Density of perchloroethylene, kg/dm <sup>3</sup>
0	1,656
5	1,648
10	1,640
15	1,631
20	1,623
25	1,615
30	1,606
35	1,598
40	1,590
50	1,573
60	1,557
70	1,540
80	1,523
90	1,507
100	1,490
110	1,474
120	1,457

Reference: Du Pont de Nemours, Technical Bulletin PR-1258

Solvay Chemicals International SA Rue de Ransbeek 310 B - 1120 Brussels Brussels, RPM 0406804736 +32 2 264 21 11 www.solvaychemicals.com


PCH-2960-0001-W-EN (WW) Issue 1 - December 2007





## PERCHLOROETHYLENE (LIQUID PHASE) - DENSITY

## Density of perchloroethylene



To our present knowledge, the information contained herein is accurate as of the date of this document. However, we do not make any warranty, express or implied, or accept any liability in connection with this information or its use. This information is for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. This is not a license under any patent or other proprietary right. The user alone must finally determine suitability of any information or material for any contemplated use, the manner of use in compliance with relevant legislations and whether any patents are infringed. We reserve our right to make additions, deletions, or modifications to the information at any time without prior notification.

Solvay Chemicals International SA Rue de Ransbeek 310 B - 1120 Brussels Brussels, RPM 0406804736 +32 2 264 21 11

www.solvaychemicals.com PCH-2960-0001-W-EN (WW) Issue 1 - December 2007 Solvay Chemicals International



**PERCHLOROETHYLENE**