

PERCHLOROETHYLENE – VAPOUR PRESSURE


PCH-2960-0009

Temperature, °C	Vapour pressure of perchloroethylene, bar
0	0,006
5	0,008
10	0,011
15	0,014
20	0,019
25	0,025
30	0,032
35	0,041
40	0,053
50	0,083
60	0,128
70	0,190
80	0,275
90	0,389
100	0,540
110	0,733
120	0,979

Reference : Solvay, Algorithm

PERCHLOROETHYLENE – VAPOUR PRESSURE

Vapour pressure of perchloroethylene



To our present knowledge, the information contained herein is accurate as of the date of this document. However, we do not make any warranty, express or implied, or accept any liability in connection with this information or its use. This information is for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. This is not a license under any patent or other proprietary right. The user alone must finally determine suitability of any information or material for any contemplated use, the manner of use in compliance with relevant legislations and whether any patents are infringed. We reserve our right to make additions, deletions, or modifications to the information at any time without prior notification.