

DVR آنالوگ Turbo HD سری 72xxHGHI-SH با قابلیت های زیر

<> این DVR دوربین های HD را با 30 فریم ذخیره می کند و دوربین های Full HD را با 12 فریم >>

- 1080P 1U Turbo HD DVR
- Connectable HD-TVI and Analog cameras Self-adaptive access
- Full channel @ 720P resolution real-time recording & 1080p no-real-time recording
- HDMI and VGA output at up to 1920*1080P resolution
- 1-ch Audio Input
- Provide 1/2 SATA interface for HDD with **up to 6TB** capacity
- 4/8/16-ch synchronous playback at 720P resolution and reverse playback for multi-camera
- Customization of tags, searching and playing back by tags
- Support **Hi-DDNS** (HikVision Dynamic Domain Name System) and **EZVIZ** Cloud P2P
- 10M / 100M self-adaptive Ethernet interface , 2 USB2.0

DS-7204HGHI-SH	DS-7208HGHI-SH
	
➤ 4 channels ➤ 1SATA ➤ 1 IP Camera	➤ 8 channels ➤ 1SATA ➤ 2 IP Camera
4,500,000	7,080,000

DVR آنالوگ Turbo HD سری 81xxHGHI-SH با قابلیت های زیر

- 1080P 2U Turbo HD DVR
- Connectable HD-TVI and Analog cameras Self-adaptive access
- Full channel @ 720P resolution real-time recording & 1080p no-real-time recording
- 16-ch (up to 32-ch) Up to 2MP resolution IP Video Input
- 16-ch Audio Input
- **2 HDMI** and VGA output at up to 1920*1080P resolution
- Provide **8** SATA interface for HDD with **up to 6TB** capacity and 1 eSATA interface for record and backup
- 24/32-ch synchronous playback at 720P resolution and reverse playback for multi-camera
- Customization of tags, searching and playing back by tags
- Support VCA alarm
- Support **Hi-DDNS** (HikVision Dynamic Domain Name System) and **EZVIZ** Cloud P2P
- 2; 10M / 100M / 1000M self-adaptive Ethernet interface, 3 USB2.0.
- 16-ch Alarm Input , 8-ch Alarm Output

DS-8124HGHI-SH	DS-8132HGHI-SH
	
➤ 24 channels	➤ 32 channels
Call	Call

DVR آنالوگ Turbo HD سری 73xxHGHI-SH با قابلیت های زیر

- 1080P 2U Turbo HD DVR
- Connectable HD-TVI and Analog cameras Self-adaptive access
- Full channel @ 720P resolution real-time recording & 1080p no-real-time recording
- 16-ch (up to 32-ch) Up to 2MP resolution IP Video Input
- 16-ch Audio Input
- 1 HDMI and VGA output at up to 1920*1080P resolution
- Provide **4** SATA interface for HDD with **up to 6TB** capacity and 1 eSATA interface for record and backup
- 24/32-ch synchronous playback at 720P resolution and reverse playback for multi-camera
- Customization of tags, searching and playing back by tags
- Support VCA alarm
- Support **Hi-DDNS** (HikVision Dynamic Domain Name System) and **EZVIZ** Cloud P2P
- 2; 10M / 100M / 1000M self-adaptive Ethernet interface, 3 USB2.0.

DS-7324HGHI-SH	DS-7332HGHI-SH
	
➤ 24 channels	➤ 32 channels
Call	Call

TURBO HD 3.0

DVR های سری جدید هایک ویژن با دو قابلیت جدید در تمامی مدل ها



- 1- اتصال انواع دوربین AHD
- 2- قابلیت انتقال برق از طریق کابل کواکسیال

و امکانات جدید در بعضی از مدل ها

- 1- دارای خروجی تصویر به صورت 4K
- 2- دارای خروجی تصویر به صورت آنالوگ (CVBS)

DVR آنالوگ Turbo HD 3 سری 71xxHQHI-F1/N با قابلیت های زیر

- 720P Mini 1U Turbo HD DVR
- HD-TVI/AHD/analog hybrid
- Connectable HD-TVI and Analog cameras Self-adaptive access
- Support 1080P lite mode enabled to realize the real-time 1080P lite and 720P lite
- Full channel recording at up to 1080p resolution
- resolution 1280x720p: 25(P)/30(N) & 1920x1080p: 10fps / Ch.
- **H.264+ video compression**
- 1-ch Audio Input
- HDMI and VGA output at up to 1920*1080P resolution
- Provide 1 SATA interface for HDD with **up to 6TB** capacity
- 4/8-ch synchronous playback at 720P resolution and reverse playback for multi-camera
- Customization of tags, searching and playing back by tags
- Support **Hi-DDNS** (HikVision Dynamic Domain Name System) and **EZVIZ** Cloud P2P
- 10M / 100M self-adaptive Ethernet interface , 2 USB2.0



DS-7104HQHI-F1/N	DS-7108HQHI-F1/N
	
➤ 4 channels	➤ 8 channels
4,400,000	6,490,000

TURBO HD 3.0

DVR آنالوگ Turbo HD سری 72xxHGHI-F1 با قابلیت های زیر

<<این DVR دوربین های HD را با 30 فریم ذخیره می کند >>

- 720p 1U Turbo HD DVR
- Connectable HD-TVI and Analog cameras Self-adaptive access
- Full channel @ 720P resolution real-time recording
- HDMI and VGA output at up to 1920*1080P resolution
- 1-ch Audio Input
- Provide 1/2 SATA interface for HDD with **up to 6TB** capacity
- 4/8/16-ch synchronous playback at 720P resolution and reverse playback for multi-camera
- Customization of tags, searching and playing back by tags
- Support **Hi-DDNS** (HikVision Dynamic Domain Name System) and **EZVIZ** Cloud P2P
- 10M / 100M self-adaptive Ethernet interface , 2 USB2.0

DS-7204HGHI-F1	DS-7208HGHI-F1	DS-7208HGHI-F2	DS-7216HGHI-F2
			
➤ 4 channels ➤ 1SATA ➤ 1 IP Camera	➤ 8 channels ➤ 1SATA ➤ 2 IP Camera	➤ 8 channels ➤ 2SATA ➤ 2 IP Camera	➤ 16 channels ➤ 2SATA ➤ 2 IP Camera
3,980,000	6,370,000	8,520,000	12,040,000

DVR آنالوگ Turbo HD سری 72xxHQHI-F1/N با قابلیت های زیر

- 1080P 1U Turbo HD DVR
- Connectable HD-TVI and Analog cameras Self-adaptive access
- Full channel @ 720P resolution real-time recording & 1080p no-real-time recording
- H.264, H.264+& Dual-stream video compression.
- 1280x720p: 25(P)/30(N) & 1920x1080p: 10fps / Ch.
- HDMI and VGA output at up to 1920*1080P resolution
- Support CVBS Output.
- 4K/30Hz HDMI Output
- 1-ch Audio Input
- Provide 1/2 SATA interface for HDD with up to 6TB capacity
- 4/8/16-ch synchronous playback at 720P resolution and reverse playback for multi-camera
- Customization of tags, searching and playing back by tags
- Support Hi-DDNS (HikVision Dynamic Domain Name System) and EZVIZ Cloud P2P
- 10M / 100M self-adaptive Ethernet interface , 2 USB2.0

DS-7204HQHI-F1/N	DS-7208HQHI-F1/N	DS-7208HQHI-F2/N	DS-7216HQHI-F1/N	DS-7216HQHI-F1/N
				
➤ 4 channels ➤ 1SATA ➤ 1 IP Camera	➤ 8 channels ➤ 1SATA ➤ 2 IP Camera	➤ 8 channels ➤ 2SATA ➤ 2 IP Camera	➤ 16 channels ➤ 1SATA ➤ 2 IP Camera	➤ 16 channels ➤ 2SATA ➤ 2 IP Camera
5,030,000	7,790,000	8,830,000	12,750,000	14,750,000

TURBO HD 3.0

DVR آنالوگ Turbo Full HD سری 72xxHUHI-F1/N با قابلیت های زیر

- 1080P 1U Turbo HD DVR
- Connectable HD-TVI and Analog cameras Self-adaptive access
- Full channel @ 1080P resolution real-time recording
- Up to 5MP encoding resolution
- 2-ch 1080p resolution IP Video Input (Up to 4mp)
- H.264, H.264+& Dual-stream video compression.
- 4-ch Audio Input
- Support CVBS Output.
- 4K/30Hz HDMI Output (7208HUHI-F1/N)
- HDMI and VGA output at up to 1920*1080P resolution
- Provide 1 SATA interface for HDD with up to 6TB capacity
- Customization of tags, searching and playing back by tags
- Support VCA alarm
- Supports Cloud storage (One Drive, Google Drive or Drop Box)
- Support Hi-DDNS (HikVision Dynamic Domain Name System) and EZVIZ Cloud P2P
- 1; 10M / 100M / 1000M self-adaptive Ethernet interface, 2 USB2.0.

DS-7204HUHI-F1/N	DS-7208HUHI-F1/N	DS-7208HUHI-F2/N	DS-7216HUHI-F2/N
			
➤ 4 channels ➤ 1 Ethernet interface ➤ 1SATA ➤ 4-ch Alarm Input ➤ 1-ch Alarm Output	➤ 8 channels ➤ 2 Ethernet interface ➤ 1SATA ➤ 8-ch Alarm Input ➤ 4-ch Alarm Output	➤ 8 channels ➤ 2 Ethernet interface ➤ 2SATA ➤ 8-ch Alarm Input ➤ 4-ch Alarm Output	➤ 16 channels ➤ 2 Ethernet interface ➤ 2SATA ➤ 8-ch Alarm Input ➤ 4-ch Alarm Output
7,250,000	10,900,000	12,300,000	22,320,000

TURBO HD 3.0